Listing of Claims

- 1. 5. (Canceled)
- 6. (Currently Amended) A method of preparing a beverage, comprising: providing a beverage;

adding at least about 0.01g NAG per serving to the <u>a</u> beverage to form a NAG beverage; and

heat pasteurizing the NAG beverage at a temperature of least about 160°F, wherein at least about 70% of the NAG remains in the NAG beverage after the heat pasteurizing.

- 7. (Original) The method of claim 6, wherein the NAG beverage is heat-pasteurized at a temperature of at least about 200°F.
- 8. (Original) The method of claim 6, wherein an amount of NAG present in the NAG beverage is about 250 mg to about 1500 mg NAG per serving.
- 9. (Original) The method of claim 6, wherein the NAG is derived from fungal biomass containing chitin.
 - 10. (Original) A food product comprising:
- a NAG food product comprising at least about 0.01 g NAG per serving, wherein the NAG food product is at a temperature of at least about 160°F; and an absence of shellfish proteins.
- 11. (Original) The food product of claim 10, wherein the NAG food product is at a temperature of at least about 200°F.
- 12. (Original) The food product of claim 10, wherein the food product is a flour- or grain-based product.

- 13. (Original) The food product of claim 10, wherein an amount of NAG present in the NAG food product is about 250 mg to about 1500 mg NAG per serving.
 - 14. (Currently Amended) A method of preparing a food product, comprising providing a food product;

adding a first amount of NAG derived from fungal biomass containing chitin to <u>a</u> the food product to form a NAG food product, wherein the NAG food product comprises at least about 0.01 g NAG per serving; and

heating the NAG food product to a temperature of at least about 160°F, wherein at least about 70% of the NAG remains in the NAG food product after the heating.

- 15. (Original) The method of claim 14, wherein the heating comprises baking, broiling, or boiling the NAG food product.
- 16. (Currently Amended) The method of claim 14, wherein the first amount of NAG present in the NAG food product is about 250 mg to about 1500 mg per serving.
- 17. (Original) The method of claim 14 wherein the NAG food product is heated to a temperature of at least about 200°F.
- 18. (Currently Amended) The method of claim 6, A method of preparing a beverage, comprising:

adding at least about 0.01g NAG per serving to a beverage to form a NAG beverage; and heat pasteurizing the NAG beverage at a temperature of least about 160°F, wherein at least about 0.007g NAG per serving remains in the NAG beverage after heat pasteurizing.

- 19. 21. (Canceled)
- 22. (new) A NAG beverage produced by the method of claim 6.
- 23. (new) A NAG beverage produced by the method of claim 18.

- 24. (new) A NAG food product produced by the method of claim 14.
- 25. (new) The method of claim 6, wherein at least about 90% of the NAG remains in the NAG beverage after the heating.
 - 26. (new) The method of claim 14, wherein the NAG is derived from fungal biomass.
- 27. (new) The method of claim 14, wherein at least about 90% of the NAG remains in the NAG food product after the heating.